



The Cheval Liberté brand was created in 1995 by Denis Rulquin (1949-2006), a professional in the trailer sector and founder of the group, with the objective of delivering quality products that meet customer expectations.

As they were passionate riders and breeders, the Rulquin family's manufacturing activities were naturally oriented towards the equestrian world.

As riders, breeders and the initial users of Cheval Liberté products, the family places particular emphasis on designing and developing innovative products. Today with over 20 years of experience to its name and under the running of Gregory Rulquin, Cheval Liberté is a European leader in the horse trailer and equestrian buildings sector.

With their recognised "savoir-faire", Cheval Liberté's design teams focus on creating modern, functional and robust products. From technological mastery to personalised marketing, Cheval Liberté's products are created with horse and rider very much in mind.



HISTORY 1995

CREATION OF CHEVAL LIBERTÉ

The first steps...

1998

2002 XI The Cheval Liberté range comes into being with its bestseller, the 2002 XL

2001

THE BRAND New trailers. new logo

SUSPENSION **PULLMAN**

2004

Advancing technology Technology comfort - safety 2006

4004. THE 4-STALL

The 4-stall trailer for equestrian and horse transport professionals.



AS PROFESSIONALS IN THE WORLD OF EQUESTRIANISM AND HORSE TRAILERS, WE HAVE DESIGNED AND CREATED QUALITY PRODUCTS WITH A FIRM EMPHASIS ON INNOVATION. THE CHEVAL LIBERTÉ COMPANY AROSE FROM THE COMBINATION OF OUR SKILLS.

GOLD AND ALULINE New range,

new material

2009

PULLMAN 2 GENERATION Performance

control

2011

MINIMAX & OPTIMAX

2013

A new alternative to lorry transport.

TOURING CONCEPT

2015

One model...
3 transport solutions


HIPPOMOBILE

2016

NEW RANGE OF 1 1/2 HORSE TRAILER

Gold One "whiteline" & Touring One

2017



LOWERED CHASSIS

performance

A SOLUTION TO SAFETY

« COMPARE AND TEST DRIVE! EASY TO TOW. WARNING, YOU MIGHT FORGET THAT YOU'VE GOT A TRAILER ATTACHED. »

Cheval Liberté is the only manufacturer to produce its own single-piece chassis. Developed by our design teams, the lowered chassis has a centre of gravity that sits as close as possible to the road for optimum balance control of your trailer.

PULLMAN 2 SUSPENSION

« FREE YOURSELE FROM THE STRESSES OF TRAIL FR TRANSPORT... PERFECT ROAD-HANDLING CONTROL...»

Closer to car technology, the PULLMAN 2 SUSPENSION consists of 4 galvanised steel independent articulated arms with 4 torsion springs and 4 dampers. This technology ensures unbeatable road-holding capacities.

Our factory is equipped with the latest generation laser tooling, enabling the entire loading sill of the trailer to be lowered.

Result: no incline, no "step", but a flat surface that is very comfortable for your horse. With a reduced floor height of 30 cm, you won't have a problem loading your horses. The Pullman 2 suspension greatly reduces box movement, muffles transport noise and absorbs the bumps in the road.

SAFFTY

Safety elements such as brakes, suspension, wheels and accessories are all officially approved and regularly checked.

Our trailers have European approval. Our trailers have a 2-year parts and labour guarantee and a 5-year guarantee for the aluminium planking and sides.



EXCLUSIVE TO CHEVAL LIBERTÉ

RAMP-D00R



« NO MORE STRESS AND FATIGUE FOR YOUR HORSES OR THE DRIVER. IF YOU TRY IT, YOU'LL BUY IT! »

A horse that's difficult to load, equipment to transport: the ramp-door is essential for all situations.

Cheval Liberté fits as standard to all its trailers a simple and functional system for transforming the ramp into a door.





CHEVAL LIBERTÉ

« FROM 1 TO 4 PLACES, 12 DIFFERENT MODELS FOR EVERY KIND OF USERS. »

CONSTRUCTION

YEARS OF RESEARCH AND DEVELOPMENT HAVE ENABLED US TO PERFECT AND PATENT A UNIQUE ASSEMBLY METHOD.

Today this patent means that we can design and develop trailers that are more solid, more lightweight and with outstanding road-holding capacities!

FQUIPMENT

Right from the basic versions, our trailers are equipped to guarantee the best comfort and safety conditions.

VENTILATION


Never too hot or too cold, simply well-ventilated, our trailers are equipped with air-circulation accessories for your horses' maximum comfort during transport.

THELOOK

Cheval Liberté trailers have an aerodynamic, modern, flowing design. The aerodynamics contribute to a significant reduction in towing vehicle fuel consumption.

Taken by a particular colour or want to match it with your car ? Choose your favourite colour option from black, light grey, red, white and charcoal grey...





MATERIALS

We use materials that are reputed for their technical qualities



► 18 mm anodized aluminium for the sides



► Reinforced fiberglass



► Hot-dipped galvanised steel



► *Vulcanised* rubber















HIPP0 MOBIL F

TOURING

TOURING **JUMPING** GOLD

MINIMAX

OPTIMAX

Plywood Aluminium Fiberglass

PILLMOX 2

optional

2 windows

1 roof vent

airtech roller

rear ramp-door

from 1700

to 2600 Kg

24-25

Aluminium Fiberglass Aluminium Fiberglass

PILLMOX 2

Aluminium Fiberglass

Aluminium Fiberglass

Aluminium Fiberglass

POL	MN	X 2

optional standard

2 windows

2 lateral windows

airtech roller

rear ramp-door

or double doors*

front ramp

from 1100

to 2600* Kg

26-27

standard 2 windows

2 lateral windows airtech roller

rear ramp-door or double doors*

28-29

from 1100 to 2600* Kg DULLMOX 2

standard 2 windows

standard

1 roof vent airtech roller

rear ramp-door front ramp

> from 1700 to 2600 Kg

> > 30-31

PRILLMAX 2

standard

standard

5 to 7 windows*

2 roof vents*

airtech roller

large front ramp

rear ramp-door

or double doors*

from 1700

to 3000 Kg

32 - 33

DIILLMAX 2

standard

standard

6 to 8 windows* 2 roof vents* airtech roller

large front ramp rear ramp-door or double doors*

> from 2700 to 3500 Kg

> 34-35

> > as extra*



1 1/2 HORSE TRAIL FR

GOLD ONE

- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof and front
- Plywood or Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller

Total Lenght

Total Width

Total Heigth

Inside Length

Inside Width

Inside Heigth

Empty Weight

M.G.W

■ 2 adjustable breast and breech bars

910 Kg

4,52 m

1,83 m

2.62 m

3.15 m

1,40 m

2,30 m

690 Kg

1600 Kg

Pro

- Automatic jockey wheel
- Side cushions
- Kickboards
- Inside light



Saddle room Roof vent





FXTRA Saddle room. for 2 saddles. leather equipment, including mirror and

documents net

SPARE WHEEL



Complete equipment



Plywood "White Line" Fiberglass + Wooden panels white, a spare wheel as extra.




Plywood



Aerodynamic front









Aluline

7016



Video on line





1 1/2 HORSE TRAIL FR

TOURING ONE

- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof and front
- Plywood or Aluminium side walls
- Large front unloading ramp
- Large inspection door
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller
- 2 adjustable breast and breech bars
- 2 lateral windows
- Automatic jockey wheel
- Side cushions, kickboards, inside light

© EXTRA

Spare wheel & holder





Sliding lateral windows





Large front ramp



Rear ramp-door system







Complete equipment









GOLD FIRST

- Strong chassis with classic axles
- Reinforced fiberglass roof
- 18mm plywood side walls
- Plywood floor 21mm + rubber mat 8 mm
- Rear ramp door with Airtech roller
- Central partition
- Automatic jockey wheel



EXTRA

Saddle room. for 2 saddles. leather equipment, including mirror and documents net





Inspection door









Rear ramp-door

Colors

Plywood





⊕ EXTRA

Saddle room, shock absorbers, head partition, spare wheel & holder




- Inside light
- Roof vent
- Lateral cushions Breast and
- Kickhoards

breech bars adjustable

PREMIUM PACK

- Comfort Pack
- + Alufloor

USE	PAYLOAD	ALUFLOOR	SPARE WHEEL
Hobby Pro	1205 Kg	extra 🔳	extra 🛞
– Total Lenght		4,47 m	
Total Width		2,14 m	
Total Heigth	2,72 m		
Inside Length		3,15 m	
Inside Width		1,67 m	
Inside Heigth		2,30 m	
Empty Weight		795 Kg	
M.G.W		2000 Kg	



Colors

10000


Fiberglass



GOLD CLASSIC

- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof
- 18mm plywood side walls
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller
- Automatic jockey wheel
- Central partition
 - + breast and breech bars adjustable
- Roof vent
- Side cushions
- Kickboards
- Inside light
- Automatic jockey wheel
- Spare wheel + holder + cover









Saddle room. for 2 saddles, leather equipment, including mirror and documents net





Roof ventilation



Complete equipment



Colors

Fiberglass



Colors Plywood

Video on line





GOLD ALULINE

- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof
- Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller
- Automatic jockey wheel
- Central partition
 - + breast and breech bars adjustable
- Roof vent
- Side cushions, kickboards, inside light
- Automatic jockey wheel
- Spare wheel + holder + cover





Saddle room, for 2 saddles, leather equipment, including mirror and documents net





Large inspection door



Complete equipment



Rear ramp-door




Video on line



⊕ EXTRA

Saddle room, head partition

USE	PAYLOAD	ALUFL00R	SPARE WHEEL
Hobby Pro	1180 Kg		
Total Lenght		4,47 m	
Total Width		2,14 m	
Total Heigth	2,72 m		
Inside Length	3,15 m		
Inside Width		1,67 m	
Inside Heigth	2,30 m		
Empty Weight	820 Kg		
M.G.W	2000	Kg (2600 Kg	as extra)





::: Alufloor



GOLD 2

- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof and front
- Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller
- Automatic jockey wheel
- Central partition
 - + breast and breech bars adjustable
- Roof vent
- Side cushions
- Kickboards
- Inside light
- Automatic jockey wheel
- Spare wheel + holder + cover



FXTRA Saddle room.

for 2 saddles. leather equipment, including mirror and documents net





2 lateral windows





Aerodynamic construction



Large inspection door



Rear ramp-door







♠ FXTRA

Sliding lateral windows, saddle room, head partition

USE	PAYLOAD	ALUFL00R	SPARE WHEEL	
Hobby Pro	1220 Kg			
•				
Total Lenght		4,47 m		
Total Width		2,15 m		
Total Heigth	2,75 m			
Inside Length	3,15 m			
Inside Width		1,67 m		
Inside Heigth	2,30 m			
Empty Weight	780 Kg			
M.G.W	2000	Kg (2600 Kg	as extra)	



HIPPOMOBILE

- Pullman 2 suspension low-profile chassis
- Strong aluminium platform for carriage including ramps
- Reinforced fiberglass roof
- Plywood or aluminium side walls
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller
- Automatic jockey wheel
- Central partition
 - + breast and breech bars adjustable
- Roof vent
- Side cushions
- Kickboards
- Inside light
- Automatic jockey wheel
- Spare wheel + holder + cover



Saddle room, head partition

USE	PAYLOAD	ALUFLOOR	SPARE WHEEL
Hobby Pro	1685 Kg		
Total Lenght		5,95 m	
Total Width		2,15 m	
Total Heigth		2,75 m	
Inside Length		3,15 m	
Inside Width		1,67 m	
Inside Heigth		2,30 m	
Empty Weight		915 Kg	
M.G.W	<u> </u>	2600 Kg	



FXTRA Saddle room, for 2 saddles, leather equipment, including mirror and documents net






Plywood



Ramps included



Platform 1,52 x 1,92 m





Colors

fiberglas



Colors

plywood









TOURING COUNTRY

- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof and front
- Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Large front unloading ramp 1,10m
- Rear ramp door with Airtech roller
- Large opening flap above the ramp
- Removal aluminum central partition including head divider
- 2 lateral windows
- 14 inch wheels
- Kickboards, side cushions, inside light
- Automatic jockey wheel



Rear double doors



Large front unloading ramp



Saddle room



Front saddle room - Spare wheel + holder + cover - Rear double doors

USE	PAYLOAD	ALUFL00R	SPARE WHEEL
Hobby	1150 Kg		extra 🛞
•			
Total Lenght		4,47 m	
Total Width		2,15 m	
Total Heigth	2,75 m		
Inside Length	3,20 m		
Inside Width	1,67 m		
Inside Heigth	2,30 m		
Empty Weight	850 Kg		
M.G.W	2000	Kg (2600 Kg	as extra)













TOURING JUMPING

- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof and front
- Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller
- Large Saddle room
- Central partition
- 2 adjustable breast and breech bars
- 2 lateral windows
- 14 inch wheels


♠ EXTRA

■ Side cushions, kickboards, inside light

Inside Width

Inside Heigth

Automatic jockey wheel



FXTRA Rear double doors

extra 🛞



Large tack room




Large inspection door














1150 Kg

Rear double doors - Spare wheel + holder + cover - Head partition

Empty Weight 850 Kg

M.G.W 2000 Kg (2600 Kg as extra)

1,67 m

2.30 m



GOLD XL

- Pullman 2 suspension low-profile chassis
- Extra large volume
- Reinforced fiberglass roof
- Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Saddle room and front ramp
- Rear ramp door with Airtech roller
- Diagonal loading : comfort and safety
- Adjustable sliding partition
- Automatic jockey wheel
- Side cushions
- Kickboards
- Inside light
- Roof vent
- Spare wheel + holder + cover















Adjustable partition



Colors

Aluline

::: Alufloor







>> www.cheval-liberte.com



MINIMAX

- Pullman 2 suspension low-profile chassis
- Diagonal loading : comfort and safety
- Huge saddle room and front unloading ramp
- 2 adjustable sliding partitions
- Reinforced fiberglass roof and front nose
- Aluminium side walls
- Side flap with opening windows
- Alu floor + Rubber mat 8 mm
- Rear ramp door with Airtech roller
- Stainless steel tie bar
- Automatic jockey wheel
- Side cushions, kickboards, inside light
- Spare wheel + holder + cover



Horse covers rack, rear double doors & windows, 2 roof vents

USE	PAYLOAD	ALUFL00R	SPARE WHEEL	
Hobby Pro	1750 Kg			
Total Lenght		5,24 m		
Total Lengin		J,24 III		
Total Width		2,30 m		
Total Heigth		2,63 m		
Inside Length		4 m		
Inside Width		2,07 m		
Inside Heigth		2,25 m		
Empty Weight		1250 Kg		
M.G.W		3 000 Kg		





EXTRA Rear double doors
















Large tack room with large access door



Video on line





OPTIMAX

- Pullman 2 suspension low-profile chassis
- Extra large volume
- Huge saddle room + Large front unloading ramp
- Diagonal loading : comfort and safety
- 3 adjustable sliding partitions
- Reinforced fiberglass roof and front nose
- Aluminium side walls
- Side flap with opening windows
- Alu floor + Rubber mat 8 mm
- Storage corner
- Rear ramp door with Airtech roller
- Stainless steel tie bar
- Automatic jockey wheel Side cushions, kickboards, inside light
- Spare wheel + holder + cover

EXTRA

Horse covers rack, rear double doors & windows, 2 roof vents

USE	PAYLOAD	ALUFL00R	SPARE WHEEL
Hobby	2050 Kg		
Total Lenght		6,09 m	
Total Width		2,30 m	
Total Heigth		2,81 m	
Inside Length		4,90 m	
Inside Width		2,07 m	
Inside Heigth		2,30 m	
Empty Weight		1450 Kg	
M.G.W		3500 Kg	







Rear double doors





















Large tack room with large access door



Video on line





OPTIONALS EXTRA FACTORY ASSEMBLED

MORE INFORMATIONS ON www.cheval-liberte.com

INDIVIDUAL SADDLE ROOM



- lockable door
- saddle holder
- briddle holder

ALUMINIUM FLOOR



TAIL GATE



For Gold 2 horse trailer (fiberglass)



For Touring, Minimax & Optimax (sandwich)

ALUMINIUM WHEELS

14 inch



• feed bowls

• documents holder

• mirror

EXTRA SMALL DOORS



HORSE COVERS RACK





ACCESSORIES



SAFETY LOCKER



TACK PACK

- 2 saddle holders
- Briddle holder
- 2 drawers
- 2 wheels



FOAL GRILL For Gold trailers 1,67 m width




EXTRA RUBBER MAT

- Size :
- 18 mm thick
- 165 x 125 mm



HEAD PARTITION

• Galvanized steel



SPARE WHEEL

■ with cover and holder



A LARGE AND MODERN RANGE OF BOX-VAN THAT MEET ALL YOUR EXPECTATIONS!





info@debon-trailers.com











QUALITY EQUESTRIAN BUILDINGS

SHELTERS « GET YOUR HORSES SHELTERED »
BOXES « MAKE YOUR HORSES COMFORTABLE »

BARNS

« THE AMERICAN STYLE FOR THE RIDER AND HIS HORSE » INTERIOR DESIGN « GET EQUIPPED WITH STYLE »



• "Jump" range



Accessories



Shelters





HORSE BOXES FOR RENT

More than 4000 boxes available for your competitions and exhibits.









ENGLISH SPOKEN
WIR SPRECHEN DEUTSCH
PARLIAMO ITALIANO
HABLAMOS ESPAÑOL



TECHNOLOGY • COMFORT • SAFETY

CHEVAL LIBERTÉ • Route de St Baslemont Lignéville BP 10117 • 88804 VITTEL Cedex • France